


# DS2 ワイパーシール

(NOK社:DSI互換品)

※耐高温タイプLPIシリーズとも互換しております



仕様	
材質	PU
温度域	-40°C~100°C
速度	1m/s


単位: mm

商品コード	型番	ID	OD	t	h	H
	DS2-006.3-14.3	6.3	14.3	4.5	6	5
	DS2-008-16	8	16	4.5	6	5
	DS2-009-17	9	17	4.5	6	5
	DS2-010-18	10	18	4.5	6	5
	DS2-011.2-19.2	11.2	19.2	4.5	6	5
	DS2-012.5-20.5	12.5	20.5	4.5	6	5
1210-02620	DS2-014-22	14	22	4.5	6	5
	DS2-015-23	15	23	4.5	6	5
1210-02621	DS2-016-24	16	24	4.5	6	5
	DS2-018-26	18	26	4.5	6	5
1210-02623	DS2-020-28	20	28	4.5	6	5
	DS2-022.4-30.4	22.4	30.4	4.5	6	5
	DS2-023.5-31.5	23.5	31.5	4.5	6	5
1210-02625	DS2-025-33	25	33	4.5	6	5
1210-02628	DS2-028-36	28	36	4.5	6	5
1210-02630	DS2-030-38	30	38	5	6.5	6
	DS2-031.5-39.5	31.5	39.5	5	6.5	6
1210-02640	DS2-035-43	35	43	5	6.5	6
	DS2-035.5-43.5	35.5	43.5	5	6.5	6
1210-02645	DS2-038-46	38	46	5	6.5	
	DS2-040-48	40	48	5	6.5	6
1210-02647	DS2-040-48	40	48	5	8	
1210-02650	DS2-040-50	40	50	6	8	
	DS2-045-53	45	53	5	6.5	6
1210-02655	DS2-045-53	45	53	5	7	
1210-02660	DS2-045-55	45	55	6	8	
	DS2-045.5-53.5	45.5	53.5	5	6.5	6
1210-02665	DS2-050-58	50	58	5	6.5	6
1210-02670	DS2-050-60	50	60	6	8	
	DS2-053-61	53	61	5	6.5	6
	DS2-054.5-62.5	54.5	62.5	5	6.5	6
1210-02685	DS2-055-63	55	63	5	6.5	6
1210-02690	DS2-055-65	55	65	6	8	
1210-02700	DS2-055-68	55	68	7	9.5	
	DS2-056-64	56	64	5	6.5	6
1210-02702	DS2-058-66	58	66	5	6.5	

# DS2 ワイパーシール

(NOK社:DSI互換品)

※耐高温タイプLPIシリーズとも互換しております



仕様	
材質	PU
温度域	-40°C~100°C
速度	1m/s


単位:mm

商品コード	型番	ID	OD	t	h	H
1210-02705	DS2-060-68	60	68	5	6.5	6
1210-02707	DS2-060-70	60	70	6	10	
1210-02710	DS2-060-73	60	73	7	9.5	
	DS2-062-70	62	70	5	6.5	6
	DS2-063-71	63	71	5	6.5	6
	DS2-065-73	65	73	5	6.5	6
1210-02720	DS2-065-78	65	78	7	9.5	
	DS2-067-75	67	75	5	6.5	6
1210-02725	DS2-068-76	68	76	5	6.5	
1210-02730	DS2-070-80	70	80	6	8	7
1210-02740	DS2-070-83	70	83	7	9.5	
	DS2-071-81	71	81	6	8	7
1210-02749	DS2-075-85	75	85	6	8	7
1210-02750	DS2-075-88	75	88	7	9.5	
	DS2-076-86	76	86	6	8	7
	DS2-080-90	80	90	6	8	7
1210-02760	DS2-080-93	80	93	7	9.5	
1210-02765	DS2-085-95	85	95	6	8	7
1210-02770	DS2-085-98	85	98	7	9.5	
1210-02775	DS2-090-100	90	100	6	8	7
1210-02780	DS2-090-103	90	103	7	9.5	
	DS2-095-105	95	105	6	8	7
	DS2-097-107	97	107	6	8	7
1210-02805	DS2-100-110	100	110	6	8	7
1210-02810	DS2-100-113	100	113	7	9.5	
1210-02820	DS2-105-115	105	115	6	8	7
1210-02830	DS2-105-118	105	118	7	9.5	
	DS2-106-116	106	116	6	8	7
	DS2-110-120	110	120	6	8	7
	DS2-112-122	112	122	6	8	7
1210-02850	DS2-118-128	118	128	6	8	7
1210-02860	DS2-120-130	120	130	6	8	7
1210-02870	DS2-125-138	125	138	7	9.5	8
1210-02880	DS2-130-143	130	143	7	9.5	8
1210-02885	DS2-132-145	132	145	7	9.5	8
1210-02890	DS2-140-153	140	153	7	9.5	8

# DS2 ワイパーシール

(NOK社:DSI互換品)

※耐高温タイプLPIシリーズとも互換しております



仕様	
材質	PU
温度域	-40°C~100°C
速度	1m/s

単位:mm

商品コード	型番	ID	OD	t	h	H
	DS2-145-158	145	158	7	9.5	8
	DS2-150-163	150	163	7	9.5	8
	DS2-155-168	155	168	7	9.5	8
	DS2-160-173	160	173	7	9.5	8
	DS2-170-183	170	183	7	9.5	8
	DS2-175-188	175	188	7	9.5	8
	DS2-180-193	180	193	7	9.5	8
	DS2-185-198	185	198	7	9.5	8
	DS2-190-203	190	203	7	9.5	8
	DS2-199-212	199	212	7	9.5	8
	DS2-200-213	200	213	7	9.5	8
	DS2-204-217	204	217	7	9.5	8
	DS2-210-223	210	223	7	9.5	8
	DS2-215-228	215	228	7	9.5	8
	DS2-220-233	220	233	7	9.5	8
	DS2-224-237	224	237	7	9.5	8
	DS2-225-238	225	238	7	9.5	8
	DS2-230-243	230	243	7	9.5	8
	DS2-240-253	240	253	7	9.5	8
	DS2-250-263	250	263	7	9.5	8
	DS2-260-275	260	275	9	12	10
	DS2-270-285	270	285	9	12	10
	DS2-280-295	280	295	9	12	10
	DS2-290-305	290	305	9	12	10
	DS2-300-315	300	315	9	12	10