


WRBL ウェアリング (繊維積層布入りフェノール樹脂)




| 仕様 | |
|----|-------|
| 材質 | フェノール |

単位: mm

| 商品コード | サイズ1 (OD-ID-h) | サイズ2 (OD-h/t) |
|----------------|-------------------|---------------|
| 2mm厚み | | |
| 1513-04010 | 40-36-5 | 40-05/2 |
| 2.5mm厚み | | |
| 1513-04000 | 40-35-9.7 | 40-9.7/2.5 |
| 1513-04015 | 40-35-10 | 40-10/2.5 |
| 1513-04060 | 45-40-8 | 45-08/2.5 |
| 1513-04040 | 45-40-15 | 45-15/2.5 |
| 1513-04200 | 50-45-8 | 50-08/2.5 |
| 1513-04160 | 50-45-10 | 50-10/2.5 |
| 1513-04180 | 50-45-15 | 50-15/2.5 |
| 1513-04280 | 55-50-8 | 55-08/2.5 |
| 1513-04240 | 55-50-10 | 55-10/2.5 |
| 1513-04260 | 55-50-15 | 55-15/2.5 |
| 1513-04460 | 60-55-8 | 60-08/2.5 |
| 1513-04380 | 60-55-10 | 60-10/2.5 |
| 1513-04400 | 60-55-12 | 60-12/2.5 |
| 1513-04420 | 60-55-15 | 60-15/2.5 |
| 1513-04440 | 60-55-24.5 | 60-24.5/2.5 |
| 1513-04520 | 63-58-8 | 63-08/2.5 |
| 1513-04522 | 63-58-9.5 | 63-09.5/2.5 |
| 1513-04500 | 63-58-15 | 63-15/2.5 |
| 1513-04595 | 65-60-6 | 65-06/2.5 |
| 1513-04600 | 65-60-10 | 65-10/2.5 |
| 1513-04620 | 65-60-20 | 65-20/2.5 |
| 1513-04690 | 70-65-6 | 70-06/2.5 |
| 1513-04700 | 70-65-10 | 70-10/2.5 |
| 1513-04720 | 70-65-20 | 70-20/2.5 |
| 1513-04810 | 75-70-6 | 75-06/2.5 |
| 1513-04820 | 75-70-10 | 75-10/2.5 |
| 1513-04821 | 75-70-10 (90度カット) | 75-10 /2.5 |
| 1513-04840 | 75-70-15 | 75-15/2.5 |
| 1513-04860 | 75-70-20 | 75-20/2.5 |
| 1513-04870 | 75-70-24.5 | 75-24.5/2.5 |
| 1513-05020 | 80-75-6 | 80-06/2.5 |
| 1513-05040 | 80-75-9.5 | 80-09.5/2.5 |
| 1513-04980 | 80-75-10 | 80-10/2.5 |
| 1513-04990 | 80-75-15 | 80-15/2.5 |
| 1513-05000 | 80-75-20 | 80-20/2.5 |
| 1513-05180 | 85-80-6 | 85-06/2.5 |

WRBL ウェアリング (繊維積層布入りフェノール樹脂)




| 仕様 | |
|----|-------|
| 材質 | フェノール |

単位: mm

| 商品コード | サイズ1 (OD-ID-h) | サイズ2 (OD-h/t) |
|------------|----------------|---------------|
| 1513-05150 | 85-80-9.5 | 85-09.5/2.5 |
| 1513-05160 | 85-80-15 | 85-15/2.5 |
| 1513-05360 | 90-85-6 | 90-06/2.5 |
| 1513-05380 | 90-85-9.5 | 90-09.5/2.5 |
| 1513-05385 | 90-85-15 | 90-15/2.5 |
| 1513-05340 | 90-85-30 | 90-30/2.5 |
| 1513-05585 | 95-90-6 | 95-06/2.5 |
| 1513-05590 | 95-90-9.5 | 95-09.5/2.5 |
| 1513-05600 | 95-90-15 | 95-15/2.5 |
| 1513-05610 | 95-90-25 | 95-25/2.5 |
| 1513-05820 | 100-95-6 | 100-06/2.5 |
| 1513-05840 | 100-95-9.5 | 100-09.5/2.5 |
| 1513-05860 | 105-100-6 | 105-06/2.5 |
| 1513-05880 | 105-100-9.5 | 105-09.5/2.5 |
| 1513-06100 | 110-105-6 | 110-06/2.5 |
| 1513-06120 | 110-105-8 | 110-08/2.5 |
| 1513-06140 | 110-105-9.5 | 110-09.5/2.5 |
| 1513-06220 | 115-110-6 | 115-06/2.5 |
| 1513-06240 | 115-110-8 | 115-08/2.5 |
| 1513-06260 | 115-110-9.5 | 115-09.5/2.5 |
| 1513-06420 | 120-115-6 | 120-06/2.5 |
| 1513-06440 | 120-115-8 | 120-08/2.5 |
| 1513-06460 | 120-115-9.5 | 120-09.5/2.5 |
| 1513-06462 | 120-115-15 | 120-15/2.5 |
| 1513-06520 | 125-120-8 | 125-08/2.5 |
| 1513-06540 | 125-120-9.5 | 125-09.5/2.5 |
| 1513-06620 | 130-125-8 | 130-08/2.5 |
| 1513-06640 | 130-125-9.5 | 130-09.5/2.5 |
| 1513-06622 | 130-125-15 | 130-15/2.5 |
| 1513-06720 | 135-130-8 | 135-08/2.5 |
| 1513-06740 | 135-130-9.5 | 135-09.5/2.5 |
| 1513-06742 | 135-130-15 | 135-15/2.5 |
| 1513-06860 | 140-135-8 | 140-08/2.5 |
| 1513-06880 | 140-135-9.5 | 140-09.5/2.5 |
| 1513-06900 | 145-140-8 | 145-08/2.5 |
| 1513-06920 | 145-140-9.5 | 145-09.5/2.5 |
| 1513-06923 | 145-140-15 | 145-15/2.5 |
| 1513-06980 | 150-145-9.5 | 150-09.5/2.5 |
| 1513-07030 | 160-155-15 | 160-15/2.5 |
| 1513-07125 | 190-185-15 | 190-15/2.5 |
| 1513-07130 | 190-185-25 | 190-25/2.5 |

WRBL ウェアリング (繊維積層布入りフェノール樹脂)




| 仕様 | |
|----|-------|
| 材質 | フェノール |

単位: mm

| 商品コード | サイズ1 (OD-ID-h) | サイズ2 (OD-h/t) |
|------------|----------------|---------------|
| 3mm厚み | | |
| 1513-04020 | 45-39-15 | 45-15/3 |
| 1513-04140 | 50-44-8 | 50-08/3 |
| 1513-04100 | 50-44-12 | 50-12/3 |
| 1513-04120 | 50-44-15 | 50-15/3 |
| 1513-04220 | 55-49-8 | 55-08/3 |
| 1513-04360 | 60-54-8 | 60-08/3 |
| 1513-04300 | 60-54-12 | 60-12/3 |
| 1513-04320 | 60-54-14.5 | 60-14.5/3 |
| 1513-04340 | 60-54-16 | 60-16/3 |
| 1513-04480 | 63-57-16 | 63-16/3 |
| 1513-04540 | 65-59-10 | 65-10/3 |
| 1513-04560 | 65-59-16 | 65-16/3 |
| 1513-04580 | 65-59-24 | 65-24/3 |
| 1513-04640 | 70-64-10 | 70-10/3 |
| 1513-04660 | 70-64-11 | 70-11/3 |
| 1513-04680 | 70-64-20 | 70-20/3 |
| 1513-04800 | 75-69-9.5 | 75-09.5/3 |
| 1513-04740 | 75-69-10 | 75-10/3 |
| 1513-04750 | 75-69-14.5 | 75-14.5/3 |
| 1513-04760 | 75-69-15 | 75-15/3 |
| 1513-04780 | 75-69-20 | 75-20/3 |
| 1513-04880 | 80-74-10 | 80-10/3 |
| 1513-04900 | 80-74-17 | 80-17/3 |
| 1513-04920 | 80-74-20 | 80-20/3 |
| 1513-04940 | 80-74-25 | 80-25/3 |
| 1513-04960 | 80-74-30 | 80-30/3 |
| 1513-05060 | 85-79-10 | 85-10/3 |
| 1513-05080 | 85-79-12 | 85-12/3 |
| 1513-05090 | 85-79-15 | 85-15/3 |
| 1513-05100 | 85-79-20 | 85-20/3 |
| 1513-05120 | 85-79-25 | 85-25/3 |
| 1513-05140 | 85-79-30 | 85-30/3 |
| 1513-05220 | 90-84-10 | 90-10/3 |
| 1513-05240 | 90-84-12.5 | 90-12.5/3 |
| 1513-05260 | 90-84-15 | 90-15/3 |
| 1513-05280 | 90-84-20 | 90-20/3 |
| 1513-05300 | 90-84-25 | 90-25/3 |
| 1513-05320 | 90-84-30 | 90-30/3 |
| 1513-05460 | 95-89-10 | 95-10/3 |
| 1513-05480 | 95-89-12.5 | 95-12.5/3 |
| 1513-05520 | 95-89-15 | 95-15/3 |

WRBL ウェアリング (繊維積層布入りフェノール樹脂)




| 仕様 | |
|----|-------|
| 材質 | フェノール |

単位: mm

| 商品コード | サイズ1 (OD-ID-h) | サイズ2 (OD-h/t) |
|------------|----------------|---------------|
| 1513-05540 | 95-89-20 | 95-20/3 |
| 1513-05560 | 95-89-25 | 95-25/3 |
| 1513-05580 | 95-89-30 | 95-30/3 |
| 1513-05800 | 100-94-6 | 100-06/3 |
| 1513-05810 | 100-94-8.8 | 100-08.8/3 |
| 1513-05700 | 100-94-12.5 | 100-12.5/3 |
| 1513-05720 | 100-94-15 | 100-15/3 |
| 1513-05740 | 100-94-20 | 100-20/3 |
| 1513-05760 | 100-94-25 | 100-25/3 |
| 1513-05780 | 100-94-30 | 100-30/3 |
| 1513-05935 | 105-99-10 | 105-10/3 |
| 1513-05940 | 105-99-12.5 | 105-12.5/3 |
| 1513-05960 | 105-99-25 | 105-25/3 |
| 1513-06080 | 110-104-6 | 110-06/3 |
| 1513-06000 | 110-104-12.5 | 110-12.5/3 |
| 1513-06020 | 110-104-15 | 110-15/3 |
| 1513-06040 | 110-104-25 | 110-25/3 |
| 1513-06060 | 110-104-30 | 110-30/3 |
| 1513-06190 | 115-109-15 | 115-15/3 |
| 1513-06200 | 115-109-30 | 115-30/3 |
| 1513-06400 | 120-114-6 | 120-06/3 |
| 1513-06320 | 120-114-12.5 | 120-12.5/3 |
| 1513-06340 | 120-114-15 | 120-15/3 |
| 1513-06360 | 120-114-20 | 120-20/3 |
| 1513-06380 | 120-114-30 | 120-30/3 |
| 1513-06480 | 125-119-12.5 | 125-12.5/3 |
| 1513-06500 | 125-119-30 | 125-30/3 |
| 1513-06610 | 130-124-30 | 130-30/3 |
| 1513-06700 | 135-129-15 | 135-15/3 |
| 1513-06607 | 130-124-20 | 130-20/3 |
| 3.5mm厚み | | |
| 1513-07050 | 165-158-25 | 165-25/3.5 |
| 1513-06595 | 130-123-15 | 130-15/3.5 |
| 1513-06600 | 130-123-30 | 130-30/3.5 |
| 1513-06780 | 140-133-22 | 140-22/3.5 |
| 1513-06820 | 140-133-30 | 140-30/3.5 |
| 1513-06800 | 140-133-24 | 140-24/3.5 |
| 1513-06840 | 140-133-35 | 140-35/3.5 |
| 1513-06940 | 150-143-35 | 150-35/3.5 |
| 1513-06960 | 150-143-45 | 150-45/3.5 |
| 1513-07020 | 160-153-40 | 160-40/3.5 |
| 1513-07040 | 165-158-20 | 165-20/3.5 |

WRBL ウェアリング (繊維積層布入りフェノール樹脂)



| 仕様 | |
|----|-------|
| 材質 | フェノール |

単位: mm

| 商品コード | サイズ1 (OD-ID-h) | サイズ2 (OD-h/t) |
|------------|----------------|---------------|
| 1513-06760 | 140-133-20 | 140-20/3.5 |
| 1513-07000 | 160-153-20 | 160-20/3.5 |
| 4mm厚み | | |
| 1513-05440 | 95-87-15 | 95-15/4 |
| 1513-06680 | 135-127-8 | 135-08/4 |
| 1513-07035 | 165-157-15 | 165-15/4 |
| 1513-07060 | 170-162-45 | 170-45/4 |
| 1513-07080 | 180-172-22 | 180-22/4 |
| 1513-07100 | 180-172-25 | 180-25/4 |
| 1513-07120 | 180-172-45 | 180-45/4 |
| 1513-07125 | 190-185-15 | 190-15/2.5 |
| 1513-07300 | 230-222-50 | 230-50/4 |
| 4.5mm厚み | | |
| 1513-05200 | 90-81-12.5 | 90-12.5/4.5 |
| 1513-05400 | 95-86-10 | 95-10/4.5 |
| 1513-05420 | 95-86-12.5 | 95-12.5/4.5 |
| 1513-05670 | 100-91-10 | 100-10/4.5 |
| 1513-05680 | 100-91-12.5 | 100-12.5/4.5 |
| 1513-05900 | 105-96-10 | 105-10/4.5 |
| 1513-05920 | 105-96-12.5 | 105-12./4.5 |
| 1513-05980 | 110-101-12.5 | 110-12.5/4.5 |
| 1513-06160 | 115-106-10 | 115-10/4.5 |
| 1513-06180 | 115-106-15 | 115-15/4.5 |
| 1513-06280 | 120-111-10 | 120-10/4.5 |
| 1513-06300 | 120-111-15 | 120-15/4.5 |
| 5mm厚み | | |
| 1513-04080 | 50-40-25 | 50-25/5 |
| 1513-06270 | 120-110-10 | 120-10/5 |
| 1513-06560 | 130-120-10 | 130-10/5 |
| 1513-06580 | 130-120-15 | 130-15/5 |
| 1513-06660 | 135-125-10 | 135-10/5 |
| 5mm厚み | | |
| 1513-07140 | 200-182-25 | 200-25/9 |
| 1513-07160 | 200-182-45 | 200-45/9 |